

25X1

Page Denied

TRANSMITTAL SLIP		DATE
TO: <i>DDC1</i>		<i>12/6/62</i>
ROOM NO.	BUILDING	
REMARKS:		
<div style="text-align: center;"> <i>EX</i> </div> <div style="text-align: right;"> <i>[Signature]</i> <i>12/10/62</i> </div>		
FROM: <i>DDC1</i>		
ROOM NO.	BUILDING	EXTENSION

FORM NO. 241
1 FEB 55

REPLACES FORM 36-8
WHICH MAY BE USED.

GPO : 1957-O-438445

(47)

SECRET

ER-File

Executive Registry

62-8837

DDR-797-62

62

30 November 1962

MEMORANDUM FOR: Assistant to the Secretary of Defense

25X1

SUBJECT: [REDACTED] Diagnostic Equipment

25X1

1. Reference is made to your memorandum of 3 November indicating the importance of proceeding with development of the above subject.

25X1

2. We are currently pulling together the requirements of the intelligence community and matching them with technical and operational capabilities. This is being done in cooperation with [REDACTED] laboratories. It is believed that early in January we can have a reasonably detailed project plan which will be discussed with you at that time.

HERBERT SCOVILLE,
Deputy Director
(Research)

ODDR/EBGiller:mh

Distribution:

O - addressee

- ✓ 1 - DCI
- 1 - DDCI
- 1 - Exec Dir
- 1 - AD/SI
- 1 - DDR Subj
- 1 - DDR Chrono

(EXECUTIVE REGISTRY FILE)

DDR

GROUP 1
Excluded from automatic
downgrading and
declassification